



Get it done with Duro!



Duro Tire Skid Steer & Fork Lift Catalog



Duro industrial tires are a popular choice for superior tires. Heavy-duty tread design and These are serious workhorse tires designed

Skid Steer



HF701 Skid Loader

Rugged and tear resistant treads and sidewalls for longevity, treads resist tears and punctures.

Size	PR	Pattern	O.D.	S.W.	Inflation	Load	Rim
			MM/Inch	MM/Inch	P.S.I.	LBS	Width
10-16.5 T/L	6	HF701	810/32.4	270/10.8	45	3500	8.25
10-16.5 T/L	8	HF701	810/32.4	270/10.8	55	3930	8.25
12-16.5 T/L	8	HF701	850/34	315/12.6	50	4810	9.75
12-16.5 T/L	10	HF701	850/34	315/12.6	55	5335	9.75

Premium



HF702 Premium Skid Loader

Our premium industrial tire for a value price. Large self-cleaning tread blocks with built in heavy-duty rim guard.

Size	PR	Pattern	O.D.	S.W.	Inflation	Load	Rim
			MM/Inch	MM/Inch	P.S.I.	LBS	Width
5.70-12 T/T	6	HF702	585/23.4	155/6.2	60	1450	4.5
23X8.50-12 T/L	6	HF702	570/22.8	210/8.4	50	1810	7
27X8.50-12 T/L	6	HF702	670/26.8	215/8.6	50	2270	7
10-16.5 T/L	8	HF702	800/32	280/11.2	55	3930	8.25
10-16.5 T/L	10	HF702	805/32.2	280/11.2	75	4720	8.25
12-16.5 T/L	10	HF702	845/33.8	315/12.6	55	5335	9.75
12-16.5 T/L	12	HF702	855/34.2	320/12.8	75	6100	9.75

ork crews who don't have time to fuss with
sidewalls ensure years of reliable service.
ever quit. Get it done with Duro!



Fork Lift



HF282

HF282 Fork Lift

Rugged and tear resistant treads and sidewalls for longevity, treads resist tears and punctures.

Size	PR	Pattern	O.D.	S.W.	Inflation	Load	Rim
			MM/Inch	MM/Inch	P.S.I.	LBS	Width
5.70/5.00-8 T/T	8	HF281	465/18.6	135/5.4	100	1727	3
6.00-9 T/T	10	HF281	530/21.2	155/6.2	120	2610	4
7.00-12 T/T	12	HF281	670/26.8	185/7.4	125	4160	5
18X7-8 T/T	12	HF282	470/18.8	175/7	116	2970	4.3
18X7-8 T/T	14	HF282	470/18.8	180/7.2	130	3190	4.3
6.90/6.00-9 T/T	10	HF282	535/21.4	160/6.4	120	2610	4
6.50-10 T/T	10	HF282	590/23.6	180/7.2	115	2890	5
6.50-10 T/T	12	HF282	590/23.6	180/7.2	125	3157	5
7.50-10 T/T	10	HF282	645/25.8	210/8.4	100	3400	5
7.50-10 T/T	12	HF282	640/25.6	210/8.4	110	3795	5
7.00-12 T/T	12	HF282	670/26.8	185/7.4	125	4160	5
7.00-12 T/T	14	HF282	675/27	185/7.4	130	4365	5
7.00L15(29X8-15) T/T	12	HF282	745/29.8	195/7.8	100	4590	5.5
7.00L15 T/T	12	HF282	740/29.6	200/8	100	4590	5.5
7.50-15 T/T	12	HF282	790/31.6	230/9.2	115	5125	6
8.15-15(28X9-15) T/T	12	HF282	710/28.4	220/8.8	120	4590	7
8.25-15 T/T	12	HF282	840/33.6	240/9.6	100	5800	6.5
8.25-15 T/T	14	HF282	850/34	240/9.6	120	6270	6.5
7.00-12 T/T	12	HF282L	665/26.6	185/7.4	125	4160	5

Premium



HF283

HF283 Premium Fork Lift

Our premium industrial tire for a value price. Large self-cleaning tread blocks with built in heavy-duty rim guard.

Size	PR	Pattern	O.D.	S.W.	Inflation	Load	Rim
			MM/Inch	MM/Inch	P.S.I.	LBS	Width
5.00-8 T/T	8	HF283	470/18.8	135/5.4	100	1725	3
18X7-8 T/T	10	HF283	470/18.8	170/6.8	125	2750	4.3
18X7-8 T/T	14	HF283	470/18.8	170/6.8	130	3190	4.3
6.00-9 T/T	10	HF283	530/21.2	160/6.4	120	2610	4
6.50-10 T/T	10	HF283	590/23.6	180/7.2	115	2890	5
7.00-12 T/T	12	HF283	680/27.2	195/7.8	125	4160	5
7.00-12 T/T	14	HF283	680/27.2	195/7.8	130	4365	5
8.15-15(28X9-15) T/T	12	HF283	710/28.4	225/9	120	4590	7
8.25-15 T/T	12	HF283	840/33.6	245/9.8	100	5800	6.5
8.25-15 T/T	14	HF283	840/33.6	245/9.8	120	6270	6.5



Duro Tire & Wheel
14290 Lochridge Blvd
Covington, GA 30022

Toll Free: 866-788-2060
or 800-966-TIRE (8473)
Phone: 770-788-2060
Fax: 770-788-2099

www.durotire.com
service@durotire.com



Taiwan:
100 Chung-Shan Rd., Sec. 2
Ta-Tsun Hsiang, Chang-Hua Hsien,
Taiwan
Phone: 886-4-8520121
Fax: 886-4-852833
www.duro.com.tw
duroexpo@duro.com.tw

Thailand:
17 moo 4, soi 6c, Bangpoo Industrial
Estate
Samutprakarn 10280, Thailand
Phone: 66-2-7096580
Fax: 66-2-3240483, or 3240484

China:
No.1 Chang Jiang Road of
Economic Development
Area, Cangshu, Jiangsu, China
Phone: 86-512-52811788
Fax: 86-512-52813323

